



## Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31 as amended

Printing date 01.11.2024

Version number 2 (replaces version 1)

Revision: 01.11.2024

### \* SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### · 1.1 Product identifier

· Trade name: Coolant 5 year (pink)

· Registration number Mixture

· UFI: MA80-Y0C1-H00Q-Y9EK

#### · 1.2 Relevant identified uses of the substance or mixture and uses advised against

· Product category PC4 Anti-Freeze and de-icing products

· Application of the substance / the mixture Antifreeze

#### · Uses advised against

Any use carrying a risk of direct contact with eyes/skin where workers are exposed without adequate personal protective equipment (PPE).

Any use involving significant release of aerosol, vapour or dust in the breathing zone of workers where they are exposed without suitable respiratory protective equipment (RPE).

#### · 1.3 Details of the supplier of the safety data sheet

##### · Supplier:

Gem Oils Ltd

Regaskin

Cavan

Ireland

Tel: +353 (0) 49 4331077

Fax: +353 (0) 49 4368329

e-mail: productsafety@gemoils.ie

· Further information obtainable from: Product safety department.

#### · 1.4 Emergency telephone number:

National Poisons Information Centre: +353 (1) 809 2166 (8.00 a.m. to 10.00 p.m. 7 days a week)

Healthcare Professionals: +353 (1) 809 2566 (24 hour service)

IN NORTHERN IRELAND:

Members of the public should contact NHS Direct on 111.

### \* SECTION 2: Hazards identification

#### · 2.1 Classification of the substance or mixture

##### · Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.

#### · 2.2 Label elements

##### · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

##### · Hazard pictograms



GHS07 GHS08

##### · Signal word Warning

##### · Hazard-determining components of labelling:

Ethanediol

(Contd. on page 2)



## Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31 as amended

Printing date 01.11.2024

Version number 2 (replaces version 1)

Revision: 01.11.2024

**Trade name: Coolant 5 year (pink)**

(Contd. of page 1)

**· Hazard statements**

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

**· Precautionary statements**

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves / eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**· 2.3 Other hazards****· Results of PBT and vPvB assessment****· PBT:** Not applicable.**· vPvB:** Not applicable.**\* SECTION 3: Composition/information on ingredients****· 3.2 Mixtures****· Description:** An aqueous solution of ethanediol with multifunctional additives.**· Dangerous components:**

CAS: 107-21-1 EINECS: 203-473-3 Reg.nr.: 01-2119456816-28-XXXX	Ethanediol ⚠ STOT RE 2, H373; ⚠ Acute Tox. 4, H302	25 – 50%
CAS: 93918-10-6 EINECS: 299-890-3	potassium 3,5,5-trimethylhexanoate ⚠ Skin Corr. 1, H314; Eye Dam. 1, H318; ⚠ Acute Tox. 4, H302 ATE: LD50 oral: 500 mg/kg	1 – 2.5%

**· Additional information:** For the wording of the listed hazard phrases refer to section 16.**\* SECTION 4: First aid measures****· 4.1 Description of first aid measures****· General information:**

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Immediately remove any clothing soiled by the product.

**· After inhalation:** Supply fresh air; consult doctor in case of complaints.**· After skin contact:**

Immediately rinse with water.

If skin irritation continues, consult a doctor.

**· After eye contact:**

Check for and remove any contact lenses.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

**· After swallowing:**

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

If vomiting occurs spontaneously, keep head below hips to prevent aspiration.

(Contd. on page 3)



## Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31 as amended

Printing date 01.11.2024

Version number 2 (replaces version 1)

Revision: 01.11.2024

---

**Trade name: Coolant 5 year (pink)**

---

(Contd. of page 2)

**· Information for doctor:**

Contains ethanediol.

If ingested, early diagnosis and treatment is essential.

Refer to section 11.

**· 4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.**· 4.3 Indication of any immediate medical attention and special treatment needed**

Obtain medical attention urgently, informing the emergency services that a product containing ethylene glycol/diethylene glycol has been ingested and that specific treatment is needed.

Gastric lavage may be effective when performed within 4 hours of ingestion.

---

**\* SECTION 5: Firefighting measures**

---

**· 5.1 Extinguishing media****· Suitable extinguishing agents:**CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire extinguishing methods suitable to surrounding conditions.

**· For safety reasons unsuitable extinguishing agents:** Water with full jet**· 5.2 Special hazards arising from the substance or mixture**

In case of fire, the following can be released:

Carbon monoxide (CO)

Hydrocarbons

Toxic metal oxide smoke

In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion.

**· 5.3 Advice for firefighters****· Protective equipment:**

Wear self-contained respiratory protective device.

Wear fully protective suit.

Do not inhale explosion gases or combustion gases.

**· Additional information**

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

---

**\* SECTION 6: Accidental release measures**

---

**· 6.1 Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

**· 6.2 Environmental precautions:**

Do not allow to penetrate the ground/soil.

Do not allow to enter sewers/ surface or ground water.

**· 6.3 Methods and material for containment and cleaning up:**

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

**· 6.4 Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

—IE—

(Contd. on page 4)



## Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31 as amended

Printing date 01.11.2024

Version number 2 (replaces version 1)

Revision: 01.11.2024

Trade name: Coolant 5 year (pink)

(Contd. of page 3)

### \* SECTION 7: Handling and storage

#### · 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Avoid direct contact (skin/eye contact, ingestion and/or inhalation of fume/mist/dust) with the product in the undiluted form.

#### · 7.2 Conditions for safe storage, including any incompatibilities

##### · Storage:

· **Requirements to be met by storerooms and receptacles:** Prevent any seepage into the ground.

· **Information about storage in one common storage facility:**

Store away from foodstuffs.

Store away from oxidising agents.

· **Further information about storage conditions:**

Store in cool, dry conditions in well sealed receptacles.

Store in a bunded area.

· **Storage class:** 10

· **7.3 Specific end use(s)** No further relevant information available.

### \* SECTION 8: Exposure controls/personal protection

#### · 8.1 Control parameters

· **Ingredients with limit values that require monitoring at the workplace:**

**CAS: 107-21-1 Ethanediol**

OEL Short-term value: 104 mg/m<sup>3</sup>, 40 ppm

Long-term value: 52 mg/m<sup>3</sup>, 20 ppm

Skin, IOELV

#### · DNELs

**CAS: 107-21-1 Ethanediol**

Dermal Long-term systemic effects 53 mg/kg bw/day (general population)

106 mg/kg bw/day (worker)

Inhalative Long-term local effects 7 mg/m<sup>3</sup> (general population)

35 mg/m<sup>3</sup> (worker)

· **Additional information:** The lists valid during the making were used as basis.

#### · 8.2 Exposure controls

· **Appropriate engineering controls** No further data; see section 7.

· **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures:**

Immediately remove all soiled and contaminated clothing

Avoid contact with the eyes and skin.

Do not eat, drink, smoke or sniff while working.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Storing food in the working area is prohibited.

Do not inhale gases / fumes / aerosols.

Take note of assigned Workplace Exposure Limits.

· **Respiratory protection:** Use suitable respiratory protective device in case of insufficient ventilation.

(Contd. on page 5)

## Safety data sheet

### according to Regulation (EC) No 1907/2006, Article 31 as amended

Printing date 01.11.2024

Version number 2 (replaces version 1)

Revision: 01.11.2024

**Trade name: Coolant 5 year (pink)**

(Contd. of page 4)

#### · Hand protection



Protective gloves.

Use gloves tested and approved under appropriate government standards such as NIOSH (US) or EN374 (EU).

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

Break-through time: 480 minutes

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

#### · Eye/face protection



Safety glasses with side-shields conforming to EN166.

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### · Body protection:



Protective work clothing

Body protection must be chosen depending on product properties, activity and possible exposure.

#### · Environmental exposure controls

Do not allow to enter drains, sewers or watercourses.

#### · Risk management measures

The operators shall be instructed adequately.

## \* SECTION 9: Physical and chemical properties

### · 9.1 Information on basic physical and chemical properties

#### · General Information

· Physical state	Fluid
· Colour:	Pink
· Odour:	Characteristic
· Odour threshold:	Not determined.
· Melting point/freezing point:	< -30 °C
· Boiling point or initial boiling point and boiling range	> 100 °C
· Flammability	Not applicable.
· Lower and upper explosion limit	
· Lower:	3.2 Vol %
· Upper:	53 Vol %
· Flash point:	> 180 °C
· Auto-ignition temperature:	> 250 °C
· Decomposition temperature:	Not determined.
· pH at 20 °C	7.5 – 8.5
· Viscosity:	
· Kinematic viscosity	Not determined.

(Contd. on page 6)



## Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31 as amended

Printing date 01.11.2024

Version number 2 (replaces version 1)

Revision: 01.11.2024

Trade name: Coolant 5 year (pink)

(Contd. of page 5)

· <b>Dynamic:</b>	Not determined.
· <b>Solubility</b>	
· <b>water:</b>	Fully miscible.
· <b>Partition coefficient n-octanol/water (log value)</b>	-1.36 log POW
· <b>Vapour pressure:</b>	Not determined.
· <b>Density and/or relative density</b>	
· <b>Density at 20 °C:</b>	1.1 g/cm <sup>3</sup>
· <b>Relative density</b>	Not determined.
· <b>Vapour density</b>	Not determined.
· <b>9.2 Other information</b>	
· <b>Appearance:</b>	
· <b>Form:</b>	Fluid
· <b>Important information on protection of health and environment, and on safety.</b>	
· <b>Ignition temperature:</b>	Product is not self-igniting.
· <b>Explosive properties:</b>	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
· <b>Solvent content:</b>	
· <b>VOC (EC)</b>	0.00 %
· <b>Change in condition</b>	
· <b>Evaporation rate</b>	Not determined.
· <b>Information with regard to physical hazard classes</b>	
· <b>Explosives</b>	Void
· <b>Flammable gases</b>	Void
· <b>Aerosols</b>	Void
· <b>Oxidising gases</b>	Void
· <b>Gases under pressure</b>	Void
· <b>Flammable liquids</b>	Void
· <b>Flammable solids</b>	Void
· <b>Self-reactive substances and mixtures</b>	Void
· <b>Pyrophoric liquids</b>	Void
· <b>Pyrophoric solids</b>	Void
· <b>Self-heating substances and mixtures</b>	Void
· <b>Substances and mixtures, which emit flammable gases in contact with water</b>	Void
· <b>Oxidising liquids</b>	Void
· <b>Oxidising solids</b>	Void
· <b>Organic peroxides</b>	Void
· <b>Corrosive to metals</b>	Void
· <b>Desensitised explosives</b>	Void

### \* SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
At elevated temperatures, explosive vapour/air mixtures may be formed.
- **10.3 Possibility of hazardous reactions**  
Reacts violently with oxidising agents.  
Reacts with strong acids and alkali.

(Contd. on page 7)

IE —



## Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31 as amended

Printing date 01.11.2024

Version number 2 (replaces version 1)

Revision: 01.11.2024

**Trade name: Coolant 5 year (pink)**

(Contd. of page 6)

- **10.4 Conditions to avoid** Heat and static discharge.
- **10.5 Incompatible materials:**
  - Strong oxidising agents.
  - Strong acids.
  - Strong bases.
- **10.6 Hazardous decomposition products:**
  - Carbon monoxide and carbon dioxide
  - Hydrocarbons
  - Toxic metal oxide smoke

### \* SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

#### · **LD/LC50 values relevant for classification:**

##### ATE (Acute Toxicity Estimates)

Oral	LD50	25,000 mg/kg
------	------	--------------

##### CAS: 107-21-1 Ethanediol

Oral	LD50	7,712 mg/kg (rat)
Dermal	LD50	3,500 mg/kg (mouse)

- **Primary irritant effect:**
- **Skin corrosion/irritation**
  - Causes skin irritation.
- **Serious eye damage/irritation**
  - Causes serious eye irritation.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure**
  - May cause damage to organs through prolonged or repeated exposure.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **Subacute to chronic toxicity:** Prolonged or repeated skin contact may irritate and cause dermatitis.
- **Additional toxicological information:**
  - ROUTES OF EXPOSURE: The component substances can variously be absorbed into the body by inhalation, through the skin and by ingestion.
  - If ingested, early diagnosis and treatment is essential.
  - The substance may cause effects on the kidneys and central nervous system, resulting in renal failure and brain injury.
  - Exposure could cause lowering of consciousness.
  - Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.
- **11.2 Information on other hazards**

#### · **Endocrine disrupting properties**

None of the ingredients are listed.
-------------------------------------

— IE —

(Contd. on page 8)





## Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31 as amended

Printing date 01.11.2024

Version number 2 (replaces version 1)

Revision: 01.11.2024

Trade name: Coolant 5 year (pink)

(Contd. of page 7)

### \* SECTION 12: Ecological information

#### · 12.1 Toxicity

##### · Aquatic toxicity:

**CAS: 107-21-1 Ethanediol**

EC50 (96 h) &gt; 100 mg/l (Bacteria)

#### · 12.2 Persistence and degradability biodegradable

#### · 12.3 Bioaccumulative potential Product is not expected to bioaccumulate.

#### · 12.4 Mobility in soil No further relevant information available.

#### · 12.5 Results of PBT and vPvB assessment

##### · PBT: Not applicable.

##### · vPvB: Not applicable.

#### · 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.

#### · 12.7 Other adverse effects

##### · Additional ecological information:

##### · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

### \* SECTION 13: Disposal considerations

#### · 13.1 Waste treatment methods

##### · Recommendation

Recommended Hierarchy of Controls:

- Minimise waste;
- Reuse if not contaminated;
- Recycle, if possible; or
- Safe disposal (if all else fails).

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.

Used, degraded or contaminated product may be classified as hazardous waste. Anyone classifying hazardous waste and determining its fate must be qualified in accordance with state and international legislation.

##### · European waste catalogue

16 00 00	WASTES NOT OTHERWISE SPECIFIED IN THE LIST
16 01 00	end-of-life vehicles from different means of transport (including off-road machinery) and wastes from dismantling of end-of-life vehicles and vehicle maintenance (except 13, 14, 16 06 and 16 08)
16 01 14*	antifreeze fluids containing hazardous substances

##### · Uncleaned packaging:

##### · Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

Disposal must be made according to official regulations.

Containers, even those that are "empty," may contain residues that can develop flammable vapours upon heating. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers.

##### · Recommended cleansing agents: Water, if necessary together with cleansing agents.

IE —

(Contd. on page 9)





**Safety data sheet**  
**according to Regulation (EC) No 1907/2006, Article 31 as amended**

Printing date 01.11.2024

Version number 2 (replaces version 1)

Revision: 01.11.2024

Trade name: Coolant 5 year (pink)

(Contd. of page 8)

**SECTION 14: Transport information**

· 14.1 UN number or ID number · ADR/RID/ADN, ADN, IMDG, IATA	Not applicable
· 14.2 UN proper shipping name · ADR/RID/ADN, ADN, IMDG, IATA	Not applicable
· 14.3 Transport hazard class(es) · ADR/RID/ADN, ADN, IMDG, IATA · Class	Not applicable
· 14.4 Packing group · ADR/RID/ADN, IMDG, IATA	Not applicable
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
· 14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Not applicable

**\* SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture · Directive 2012/18/EU · Named dangerous substances - ANNEX I None of the ingredients are listed. · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
· DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II None of the ingredients are listed.
· REGULATION (EU) 2019/1148 · Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3)) None of the ingredients are listed.
· Annex II - REPORTABLE EXPLOSIVES PRECURSORS None of the ingredients are listed.
· Regulation (EC) No 273/2004 on drug precursors None of the ingredients are listed.
· Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors None of the ingredients are listed.
· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.



## Safety data sheet

### according to Regulation (EC) No 1907/2006, Article 31 as amended

Printing date 01.11.2024

Version number 2 (replaces version 1)

Revision: 01.11.2024

**Trade name: Coolant 5 year (pink)**

(Contd. of page 9)

#### \* SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

- **Relevant phrases**

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H373 May cause damage to organs through prolonged or repeated exposure.

- **Training hints**

This product should only be handled by workers who have received sufficient training in the safe handling and use of chemical products.

- **Department issuing SDS:** Product safety department.

- **Date of previous version:** 13.02.2024

- **Version number of previous version:** 1

- **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

DNEL: Derived No-Effect Level (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1: Skin corrosion/irritation – Category 1

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

- **\* Data compared to the previous version altered.**